

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Date of issue: 6/6/2019 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : MC ZERO+ CENTRAL HEATING SYSTEM ANTI-FREEZE
Type of product : Heating system water treatment

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Water treatment additive.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ADEY Innovation LLP
Head Office, Gloucester Road
GL51 8NR Cheltenham - United Kingdom
T +44 (0)1242 546700 - F +44 (0)1242 546777
www.adey.com

1.4. Emergency telephone number

Emergency number : +44 (0)1242 546700 (8:30 – 5pm) +44 (0)7909 967607 (outside office hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Hazardous ingredients :

Reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one[EC no.247-5007] and 2-methyl-2H-isothiazol-3-one [EC no.220-239-6]

Hazard statements (CLP) :

H317 - May cause an allergic skin reaction.

Precautionary statements (CLP) :

P280 - Wear protective gloves.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Other hazards not contributing to the classification : None under normal conditions.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propylene glycol substance with national workplace exposure limit(s) (GB)	(CAS-No.) 57-55-6 (EC-No.) 200-338-0 (REACH-no) 01-2119456809-23-XXXX	>= 80	Not classified

MC ZERO+ CENTRAL HEATING SYSTEM ANTI-FREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no.247-5007] and 2-methyl-2H-isothiazol-3-one [EC no.220-239-6]	(CAS-No.) 55965-84-9 (EC-No.) 611-341-5 (EC Index-No.) 613-167-00-5	< 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:dust,mist), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410
ethanediol; ethylene glycol substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (GB)	(CAS-No.) 107-21-1 (EC-No.) 203-473-3 (EC Index-No.) 603-027-00-1	< 0.1	Acute Tox. 4 (Oral), H302
potassium hydroxide; caustic potash substance with national workplace exposure limit(s) (GB)	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8 (REACH-no) 01-2119487136-33-XXXX	< 0.1	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
sulphuric acid ... % substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (GB) (Note B)	(CAS-No.) 7664-93-9 (EC-No.) 231-639-5 (EC Index-No.) 016-020-00-8 (REACH-no) 01-2119458838-20	< 0.1	Skin Corr. 1A, H314

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no.247-5007] and 2-methyl-2H-isothiazol-3-one [EC no.220-239-6]	(CAS-No.) 55965-84-9 (EC-No.) 611-341-5 (EC Index-No.) 613-167-00-5	(0.0015 =<C < 100) Skin Sens. 1, H317 (0.06 =<C < 0.6) Eye Irrit. 2, H319 (0.06 =<C < 0.6) Skin Irrit. 2, H315 (0.6 =<C < 100) Skin Corr. 1B, H314
potassium hydroxide; caustic potash	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8 (REACH-no) 01-2119487136-33-XXXX	(0.5 =<C < 2) Eye Irrit. 2, H319 (0.5 =<C < 2) Skin Irrit. 2, H315 (2 =<C < 5) Skin Corr. 1B, H314 (5 =<C < 100) Skin Corr. 1A, H314
sulphuric acid ... %	(CAS-No.) 7664-93-9 (EC-No.) 231-639-5 (EC Index-No.) 016-020-00-8 (REACH-no) 01-2119458838-20	(5 =<C < 15) Eye Irrit. 2, H319 (5 =<C < 15) Skin Irrit. 2, H315 (15 =<C < 100) Skin Corr. 1A, H314

Note B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms occur.
First-aid measures after skin contact	: Take off contaminated clothing. Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: In high concentrations, vapours may irritate throat and respiratory system and cause coughing.
Symptoms/effects after skin contact	: May cause an allergic skin reaction. irritation (itching, redness, blistering).
Symptoms/effects after eye contact	: May cause slight irritation.
Symptoms/effects after ingestion	: Ingestion is not considered a potential route of exposure. May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

MC ZERO+ CENTRAL HEATING SYSTEM ANTI-FREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : The product is not flammable.

Explosion hazard : Product is not explosive.

Reactivity in case of fire : Not known.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : No special measures required.

Firefighting instructions : Use extinguishing media appropriate for surrounding fire.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid release to the environment.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate spillage area. Stop leak if safe to do so. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area. Stop leak if safe to do so. Avoid contact with skin and eyes.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

Other information : Dispose of in accordance with relevant local regulations. This material and its container must be disposed of as hazardous waste.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure adequate ventilation. Wear personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures : Always wash hands after handling the product. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep out of reach of children. Keep container closed when not in use.

Incompatible materials : Strong acids. Strong oxidizing agents.

Storage area : Store in a well-ventilated place.

Special rules on packaging : Keep only in original container.

7.3. Specific end use(s)

No special requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethanediol; ethylene glycol (107-21-1)		
United Kingdom	Local name	Ethane-1,2-diol
United Kingdom	WEL TWA (mg/m ³)	10 mg/m ³ particulate 52 mg/m ³ vapour
United Kingdom	WEL TWA (ppm)	20 ppm vapour
United Kingdom	WEL STEL (mg/m ³)	104 mg/m ³ vapour

MC ZERO+ CENTRAL HEATING SYSTEM ANTI-FREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ethanediol; ethylene glycol (107-21-1)		
United Kingdom	WEL STEL (ppm)	40 ppm vapour
United Kingdom	Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE

potassium hydroxide; caustic potash (1310-58-3)		
United Kingdom	Local name	Potassium hydroxide
United Kingdom	WEL STEL (mg/m ³)	2 mg/m ³
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE

Propylene glycol (57-55-6)		
United Kingdom	Local name	Propane-1,2-diol
United Kingdom	WEL TWA (mg/m ³)	10 mg/m ³ particulates 474 mg/m ³ total vapour and particulates
United Kingdom	WEL TWA (ppm)	150 ppm total vapour and particulates
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE

sulphuric acid ... % (7664-93-9)		
United Kingdom	Local name	Sulphuric acid
United Kingdom	WEL TWA (mg/m ³)	0.05 mg/m ³ mist
United Kingdom	Remark (WEL)	The mist is defined as the thoracic fraction
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE

8.2. Exposure controls

Appropriate engineering controls:

Ensure adequate ventilation.

Personal protective equipment:

Gloves. Safety glasses.

Materials for protective clothing:

Wear suitable working clothes

Hand protection:

Protective gloves. Chemical resistant gloves (according to European standard NF EN 374 or equivalent)

Eye protection:

Safety glasses with side shields. The eye protection to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 166.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

MC ZERO+ CENTRAL HEATING SYSTEM ANTI-FREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Consumer exposure controls:

Observe the label precautions. Use as directed on label.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Blue.
Odour	: mild.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Miscible.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing material according to EC criteria.
Explosive limits	: No data available

9.2. Other information

VOC content	: According to Swiss ordinance 814.018, we certify that the product mentioned above does not contain any Volatile Organic Compounds (VOC)
-------------	---

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

potassium hydroxide; caustic potash (1310-58-3)

LD50 oral	333 mg/kg bodyweight
-----------	----------------------

sulphuric acid ... % (7664-93-9)

LD50 oral	2140 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	375 mg/l

MC ZERO+ CENTRAL HEATING SYSTEM ANTI-FREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one[EC no.247-5007] and 2-methyl-2H-isothiazol-3-one [EC no.220-239-6] (55965-84-9)

LD50 oral	59 mg/kg bodyweight
LD50 dermal	> 75 mg/kg bodyweight

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Ecology - water	: The product does not have any known adverse effect on the tested aquatic organisms.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

potassium hydroxide; caustic potash (1310-58-3)

LC50 fish 1	80 mg/l
-------------	---------

sulphuric acid ... % (7664-93-9)

LC50 fish 1	> 16 mg/l
EC50 other aquatic organisms 1	> 100 mg/l waterflea
EC50 other aquatic organisms 2	> 100 mg/l

Reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one[EC no.247-5007] and 2-methyl-2H-isothiazol-3-one [EC no.220-239-6] (55965-84-9)

LC50 fish 1	0.19 mg/l
EC50 other aquatic organisms 1	0.126 mg/l waterflea
EC50 other aquatic organisms 2	0.003 mg/l

12.2. Persistence and degradability

MC ZERO+ CENTRAL HEATING SYSTEM ANTI-FREEZE

Persistence and degradability	No data available.
-------------------------------	--------------------

12.3. Bioaccumulative potential

MC ZERO+ CENTRAL HEATING SYSTEM ANTI-FREEZE

Bioaccumulative potential	No data available.
---------------------------	--------------------

potassium hydroxide; caustic potash (1310-58-3)

Log Pow	0.75
---------	------

sulphuric acid ... % (7664-93-9)

Log Pow	-2.2
---------	------

Reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one[EC no.247-5007] and 2-methyl-2H-isothiazol-3-one [EC no.220-239-6] (55965-84-9)

Log Pow	0.4
---------	-----

MC ZERO+ CENTRAL HEATING SYSTEM ANTI-FREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.4. Mobility in soil

MC ZERO+ CENTRAL HEATING SYSTEM ANTI-FREEZE

Ecology - soil	Miscible with water.
----------------	----------------------

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : None known.
Additional information : No other effects known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

MC ZERO+ CENTRAL HEATING SYSTEM ANTI-FREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

VOC content

: According to Swiss ordinance 814.018, we certify that the product mentioned above does not contain any Volatile Organic Compounds (VOC)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

Legal disclaimer: © ADEY Innovation Limited 2019. All rights reserved. You may use and make a reasonable number of copies of this document for your own internal business purposes only but not otherwise. The commission of any unauthorised act in relation to this document may result in civil or criminal actions being taken against you. We have taken reasonable steps to ensure that, to the best of our knowledge and belief, the information in this document is correct at the time of publication, but please be aware that it may over time become incorrect or out of date. Any hazards detailed herein may not be exclusive and others may exist. The Supplier excludes and disclaims, to the fullest extent allowed by law, any and all liability for the accuracy and/or completeness of the information contained herein and does not assume any such liability. It is the responsibility of the reader/user to assess the suitability of the product referred to for their purposes and to deal with the safe handling, transportation, use, storage and disposal of the same.